L.7. 82-95

G. R. S. IX-5]

P25

Previous references.
9/01-3

1901-2.
~~1911~~.
(Annual.)

File No. 7401-2.

Serial Nos. 4 to 9.

Later references

GENERAL AND REVENUE SECRETARIAT.

Serial Nos. 4-9

M. ~~Part~~ B for June 1903.

SUBJECT.

Regarding the lowering the Bund of Jeevarayankere in Tumkur.

W D 85—GPB—50,000—24-7-16

Serial no. 105.
Flog. A.

11. Orders were accordingly issued in Govt Proceedings No 1851O-12 / L.T 204-93 dated the 24th May 1902 sanctioning a loan of Rs 25000/- to the Mysore City Municipality with interest at 4% per annum repayable in five years, with the proviso that the improvements already effected divert all the waters of the Jeeva-rayankere to the Doddkere, and that the water is considered pure.

12. With reference to this proviso Mr. Lee reports that about 1884 a sum of Rs 11,000/- was spent in forming the feeder channel between

shown in the tracing with a water shed of about one sq: mile for filling the Jeevanrayankere: that in the tank filling, all the houses in Kotwal Ramappas street became damp and the people suffered from Malarial fever, ~~and~~ that a Medical Committee then decided that the water in the tank should be reduced to the level of former years, and that accordingly the Government ordered ~~that~~ the feeder to be breached and the water diverted into the Kooker halli and Padavarhalli tank in view to carry a pure water supply to Doddakere

Mr. Lee proposes that the said breaches should be closed the feeder cleared of debris and the tunnel near the Hospital, marked A, enlarged so as to carry the whole of the water along the arched masonry sewers marked B, C, D, E, F and G H in the sketch As he, however, considers it expensive to enlarge those sewers, he suggests as an alternative measure, to have sluices with shutters constructed at the breaches so as to regulate the supply to the maximum capacity of the sewers. He considers that water of the catchment the Veeravarayankere feeder

to be exceedingly pure
But as its course to Dodda
Kere is through the main
sewer of Sivaiampet, he
says, it must become
diluted with sewage im-
purities which cannot
be avoided until Deva-
raja Mohalla is provided
with a pipe main drain
similar to the Krishnaraj
Mohalla which cost 18,000/
13. The Chief Engineer
submits Mr. Lee's report
and states that the
alternative work proposed
by him is the best thing
to do & that until the Devaraja Mohalla
is provided with a pipe main drain the waters
must become diluted with sewage impurities
Submitted for orders

The 3rd Commissioner
5-7-02
(1808)

Sd/ 26/6/02

Sd/ 27/6/1902

14

30/7

30/7

Drafted Med

15

30/7

I am not sure if the

Sanitary ~~Sanit~~ Commr — has

not already been consulted

The draft is submitted to the

Dewan through the 2nd Coun-

cillor -

27/8

16 I am unable to give any

opinion on this question - I

do not know that this reference

was ~~a~~ at 13/6/02 & recall with my 3 (one)

received on 17/6/02 and 29/7/02

pending, or I should

have looked into the matter

when ~~I was~~ at Mysore

on the 27th or 28th August -

Please

Orders and do the
necessary -
Thiruvananthapuram
31/8/02

Subd to ~~the Secretary~~ HH
the Dewan 1/9/02

Hmm
1/9

RD 139 of
book 7236
17 Mere is no particular
hurry about this
Merchant - is white
Dodda here with
water - this is now
done ~~for~~ with Kukkan
halli water -
When the Town Com
-mittee ~~to~~ makes
some proposals this
question may be
also referred to

Hmm
26.IX.02

Hmm
139
7236
16.9.02
HD Cleele
Noted & returned.
BB
18/9/02

18 As directed by the Diwan Over-
leaf, the matter was referred to the
President of the Mysore City Sanitary &
Improvement Committee with a
request that the whole question may
be placed before the Committee for
their consideration. (Vide letter no. 1325 & L.T. 82-95 dt
3.3.03)

19 In reply, Mr. McHutchin has
returned the papers with the opinions
of the several members of the Lib. Com-
mittee as also with his own opinion
in the matter. Mr. McHutchin's opinion
is recorded as follows:-

20 "The feeder channel referred to
cannot carry more than ½" run-off
per hour, and the proposed is an expensive
and an undesirable suggestion, as only some
15 to 20 acres would be obtained and at
a considerable outlay."

" The drainage area added to the
Doddakere since Mr. Lee's letter was written

is sufficient to [illegible] the tank in average years to the proposed weir board, and in bad years nothing would be obtained worth speaking of from this one sq. mile of catchment."

The several members of the Committee consider that the question is beyond the province of the Sub-Committee.

Submitted for orders as to whether the correspondence may simply be recorded

WJ 25/5/03

WB 26/5/03

H 27/5

The Dewan

I.R. 833 29-5-03. through the 2nd Councillor.

I cannot think there is in this any question on which I am competent to give an opinion. Please obtain the Dewan's orders & do the needful. HG

10663 8.6.03

31/5/03

02573

Mr Lovell my foreman who pulled our gear both Kukkenhalli and water. This is all that could done at present by Mr Meek has other two boats to make. If he has

SECRETARY'S OFFICE
Regd No. 2943
29 JUN 1903
Govt. P. W. Dept.

more than 2 be fixed

25.VI.03 Wild

No 18237 / L.T.82-9 27/6/03 Ref: L.T.204-1893.

Forwarded to the Chief Engineer and Secretary P.W.D for favour of remarks, if any. By order.

D Cunningan

for Secretary.

(1) Supply to Dodkere

As I have already stated, the addition of this small catchment area at a considerable outlay is unnecessary in my opinion. And I think it has been demonstrated pretty clearly already by the amt of water received by the Dodkere this year that the area draining into the Dodkere is sufficient. The only point requiring remark in regard to this supply now received by the Dodkere is, that the proper sewerage of such portions of the town which drain into the tank as have not already been carried out must now be undertaken: & these points are receiving my consideration, & proposals will be submitted when Mr. D'Cruz has completed the necessary surveys & estimates.

(2) Personally I do not think the retention of the Jeevanayakere will effect the health of the town injuriously when the proper drainage & sewerage of the town has been carried out.

3500 ℔ 3.7.03

Secretary's Cook
P.W. Dept

29.6.03
Bangalore

W. M. Hentelius
Chief Engineer of Mysore

I agree with the President that this question does not fall within the province of the Sub-committee. Allowing "pure" water to the Waterloo bank at an enormous expense is a plan the efficacy of which I very much doubt.

For what length of time "pure" water allowed into Waterloo will remain "pure" under the circumstances now obtained will become evident to any person who will take the trouble to personally examine the water now remaining in that tank & will make a calculation of the no: of animals (human & otherwise) and their belongings that get the benefit of a dip or wash —

28/3/03

I agree with Rev. Thomas — save as to necessity of statement that legal

A.R. Wadia
30-3-03

Notes of the Treasurer Sub Committee

I think that the question is beyond the province of the Sub Committee I see no particular objection to the proposals except that there are many more important works on which money should be spent.

Circulate to members of Sub Committee.

"Jud"
26.3.03

Circulated the above to the members of the Sub Committee

[signature]
26.3.03 Secretary

Rev. Thomson
Doctor [illegible]
V.D.P. Raghavalu naidoo Esqr
G.S.R. Durrant Esqr.
A.R. Dawi Esqr Health Offr
Mr M.V. Kelu Chetty
Annamalai

(1) Since the object of the proposed works is to secure a supply of water for the Dodda Kere and is not intended for the drainage scheme for the City, the construction of these works appears to lie outside the scope of the Committee.

(2) It has to be taken into account that owing to the preservation of the feeders of the Dodda Kere for the past year and a half there has been no lack of water in the tank.

(3) I should be opposed to any such temporary experiment as that suggested by Mr. Standish Lee. Works of this class have proved very inefficient and very expensive in the Municipal history of Mysore.

(4) The need to be met is not urgent and, as Mr. Price Lubbock has pointed out, the benefit likely to be conferred is very small. In my opinion the Government is not called upon to undertake any immediate outlay on the proposed works. If a "pipe main drain for the Devaraj Mohalla" connects naturally into the drainage scheme which I understand is to be laid before the Sub-Committee, this question will be placed upon the only satisfactory basis.

E W. Thompson

March 28/03

Secy 25/6/02

Revenue Commr. Mad


SECRETARY'S
Regd

1902

From The Chief Engineer of Hygiene
15873
17 12

To The Secy to the Govt of Hygiene
Jenks & Reed depts

Dated 13 — 6 — 1902

Despatched

Received

General No. 3383
No.

Enclosure No. 2

Forwarding letter from Sanitary Supply Engineer re — Supply of water to Dodkere Tank

1760

Recd 25/6/02

From C. E. Mysore.

General Office,

No. 3383 Dated Bangalore, 13th June 1902.

From,

Colonel J. McNeill Shell,

Chief Engineer of Mysore.

To,

W.W.Panjunda, a Esquire, B.A., B.L.,

Secretary to the Government of Mysore

General & Revenue Departments.

Sir,

With reference to Govt.Pro: No.18510/ M.F. 204-93 dated 24th ultimo, according sanction to a loan of Rs 2,500 to the Mysore City Municipality, for meeting the cost of lowering the bund of Devarayankere Tank and reducing its Water-Spread with the proviso that " the improvements already effected divert all the water of this Tank to the Todkere Tank and that the water is considered pure ",- I have the honor to forward, for the information of ~~the~~ Government and closing return, the accompanying letter No.98 dated 31-5-02, from the Supdg.Engineer, Sanitary Works, reporting on the subject. The alternative work proposed in para 4 of his letter is the best thing to do. It will be seen from para 5 that until the Devaroy Mohalla is provided with a pipe main drain, the water must become diluted with sewage impurities, which cannot be avoided.

I have the honor to be,

Sir,

your most obedient servant,

J. McNeill Shell Colonel,

Chief Engineer of Mysore.

SECRETARIS
B
No.
Dept.

SECRETARY'S OFFICE
Received in Department
-3 JU 1902
Mysore P. W. Dept.

MYSORE P. W. DEPARTMENT.

No. 5383-4 13/1902

From THE SUPERINTENDING ENGINEER,
Sanitary Works

To

Dated

Despatched

Enclosure No.

Subject.

J. Grant.
No - 174-95.
31 Jo -

under part (channel) the discharge
ultimately 20 gallons per head
40,000 people, half the population
- the channel by Tupur
found is 6"
S.E. has been requested to send in
discharge statement as the
figures not been furnished in
the records of his office -
15.
11/1

This can be found
[illegible] 1851
[illegible]

MYSORE P W DEPARTMENT.

No

SUPDG ENGINEER'S OFFICE.

Sanitary Works,

190

From

The Superintending Engineer,

Sanitary Work

To

Sir,



dx 1817

695 L128
190
18

FROM The Chief Engineer of Mysore.

To The offg. Secretary to Govt Genl & Rev: Depttts

Dated 16.9.02.

Despatched

Received

General No. 4057

No.

Enclosure No.

Requesting to move Govt to pass early orders on This Office No. 3383 of 13-6-02 re restoration of the feeder channels of the Jeeva-reyankere at Mysore city.

No.Camp.129. Camp Mysore 14th July 1902

From

The Superintending Engineer,

Sanitary Works.

To

The Chief Engineer of Mysore.

Chief Engineer's No.3364 of 15th June 1902 forwarding copy of his No.1166 of 10-6-02 to the Dewan, recommending the proposals of the undersigned as regards restoration of the feeder channels of the Jeva reservoirs at Mysore City.

!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!

Has the honour to bring to notice that the orders of the Dewan on the above have not yet been received and therefore to solicit instructions as to whether the project, on the lines proposed, should be prepared or not.

Sd/. Standish Lee.

Supdg.Engineer,

Sanitary Works.

No. 4054 Bangalore 16th July 1902.

Copy forwarded to L.Anantasawmy Rao Esquire, Offg. Secretary to Govt.General & Revenue Departments, with a request that he will be so good as to move Government to pass early orders on this Office No.3383 dated 13th ultimo.

Jas Cunningham Colonel,

Chief Engineer of Mysore.

(19)

Annual
74-01
6.

13256
7-82-95
d/3/3/03

To

W. McHutchin Esq
President of the
Mysore City Improvement
Board Committee

Sir,

In forwarding herewith copy of the Chief Engineer's letter no 3383 dated the 13th June 1902 together with its enclosures in original, in regard to the question of improving the feeder channels of the Jeevanrayanakere at Mysore, I am directed to request that the whole question may be placed before the Committee for their consideration

I have &c

Secy

Dewan's Secy's order)

23/7 Secy

16/7/03

org 87/2/03

Ex no 17-03

1) Mr Lee's letter no 9807 31-5-02 with address of the Chief Engineer
2) sketch plan
* R.L. 1574.
In one copy of letter no 3383 13/6/02
one sketch plan
one original no 9807 31/5/02 from Mr Lee
3 W. Ch: Engineer



No. A

Forwarded to the Sub Committee for such remarks as they may wish to offer.

2. The feeder Channel referred to cannot carry more than 1/2" run-off per hour, & the proposed is an expensive & undesirable suggestion, as only some 15 to 20 units would be obtained & at a considerable outlay.

3 The drainage area added to the Dadhere since Mr. Lee's letter was written is sufficient to fill the tank in average years & the proposed weir leak, & in bad years nothing would be obtained worth speaking of from this one Sq. mile of catchment.

M. D. Wadsworth

President
of the Mysore city
Imprs Committee.

Camp Mysore
7-3-03

Received
7. 3. 03
Hy.

1906

Office of [illegible]

[illegible]

No. 18256 Enc. Sketch
LL 82-95 1 Copy of letter
1 Original letter dtd 9 31/5/02
3

Sir,

I have the honour to acknowledge the receipt of your letter [illegible]

[illegible]

Sir,

Your obedient servant

[illegible]

For Secretary.

MC

1 Mr Lees letter No 95 dtd 31 May 1902 to the address of the Chief Engineer

2 Sketch plan

Annual
14-01.
7.

12 — L 1984

7l1433.

No. 2147 dated 17th. April 1903

Forwarded to the Secretary to the Government of His Highness the Maha-raja of Mysore, Revenue & General Departments, with a request that he will be so good as to move Govern-ment to pass early orders on the subject.

II. The favour of return of these papers, when no longer required, is requested.

III. Undersigned's own views on the subject are given in this office No. A dated 7-3-1903.

Enc. 5

N. McLachlan

Chief Engineer of Mysore

To Local Boards Branch.

Recd 1668 1903

From The Secretary
Sanitary Impts: Comm
Mysore City

To The Chief Engineer & Resid
Sanitary Impts: Comm,
Mysore City
Bangalore

Dated 7th April 1903

Despatched

Received

General No. 750
No.

Enclosure No. 6

Sir,

I have the honour to submit the remarks of the Sub-Committee on the propos of Mr. Lee in regard to the Jeevanroyanakere Channel

The enclosures to your No. A of the 7th ultimo are also submitted.

I have the honour to
Sir,
Your most obedient Servan

Secretary

MGCPB—3-3-01—50.

Yes. NM

R
20 4 03

Encl 23/5 & Memo Cash 25/3. (received)

L 1134

Date of P. 10/2/03.

Petition addressed to the 2nd Commissioner of Rangaipo and other holding parcels Lands in the Chanakahi Forest Reserve praying Board to hear complaining of the damage done to their lands by the Bayside Municipality who have cut a Pool Channel and allowed the water of it to pass through their garden. &c &c

Journal 74-91 8.

R.L. 2006

Memo No 16174 9/6/03
L.T. 82-95

Forwarded to the Secretary D PW for favour of Compliance

By order
(Sd) H Ramsay
for Secy.

From

SEC'Y. TO THE GOVT. OF MYSORE,
GEN. & REV. DEPTS.

To

Dated

Despatched

Received

General No.
No.

Enclosure No.

Annual.
74-01
9.

No.

Lawlamp the bund of
Jeevanayana Vihare at Kegalle.
R 2353

No 18237 Rs: L.7.204-93. (The whole Kegalle drainage scheme and other matters
L.782-95 connected therewith.

29/6/03 { Forwarded to the Chief Engineer and Secretary D.P.W. for favour of Remarks, if any.

By order
(Sd) H. Ramanayake
for Secy.

1-7-03